

STRIKE BAC® SC-RTU DISINFECTANT CLEANER

ANTIBACTERIAL FORMULA CLEANS AND DISINFECTS

***VIRUCIDAL/BACTERICIDAL/PSEUDOMONICIDAL**

ACTIVE INGREDIENTS

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides..... 0.15%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides.....0.15%

INERT INGREDIENTS.....99.70%

TOTAL.....100.00%

- **Kills Rhinovirus, Norovirus, and Canine Parvovirus in 2 minutes**
- **Kills Poliovirus in 5 minutes**
- **Kills 99.9% of Bacteria in just 5 Seconds****
- **Disinfects household, kitchen, and/or bathroom bacteria†**
- **Kills Pandemic 2009 H1N1 Influenza A virus formerly called swine flu**
- **Kills Flu Virus**
- **Kills Cold †† Virus**
- **Kills Cold †† and Flu Viruses**
- **Kills Carbapenem Resistant Enterobacteriaceae CRE †††**
- **** Staphylococcus aureus, Klebsiella pneumoniae, †Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Methicillin Resistant Staphylococcus aureus, Vancomycin Resistant Enterococcus faecium, Multi-Drug Resistant Acinetobacter baumannii Ceftazidime and Gentamicin Resistant, Extended Spectrum Beta-Lactamase Escherichia coli, Klebsiella pneumoniae New Delhi Metallo-Beta, Lactamase Carbapenem Resistant., †† Rhinovirus, ††† Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase Carbapenem Resistant.**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side back panels additional precautionary statements.

EPA REG NO. 1839-220-37265

EPA EST. NO. 37265-CA-01

Distributed By: GENLABS

5568 Schaefer Ave., Chino, CA 91710 - (909) 591-8451

NET CONTENTS: ONE GALLON (3.78 L)

STRIKE BAC® SC-RTU Disinfectant Cleaner is intended for use in:

Hospitals and Health Care Settings, Ambulances, Anesthesia, CAT labs, Clinics, Operating Rooms, Isolation Wards, Medical Research Facilities, Patient Care Rooms and Facilities, Recovery Room, Anesthesia, Emergency rooms, X-ray, Newborn nurseries, Respiratory therapy, Orthopedics, Respiratory Therapy, Laboratory, Laundry Rooms, Daycare centers and Nurseries, Sick Rooms, Acute Care Institutions, Alternate Care Institutions, Healthcare Institutions, ICU, Dialysis Clinics, Dental Offices, Doctor's Office(s), Emergency Rooms, ER, Home Health Care, CCU, Central Supply, Neonatal Intensive Care Units, Hospices, Nursing Homes, Operating Rooms, Pediatrics, Pediatric Intensive Care Units, Physical Therapy, Physician's office(s), Ophthalmic offices, Radiology, Rehabilitation, Life Care Retirement Communities, EMS and Fire Facilities, Surgery, Transport Vehicles, Critical Care Areas, Operating Rooms, Animal Life Science Laboratories, Kennels, Veterinary Clinics, Animal Hospitals, Pet animal kennels, Breeding Establishments, Grooming Establishments, Pet Animal Quarters, Zoos, Pet Shops, Animal Holding Areas, Veterinary Waiting Rooms, Veterinary Examination Rooms, Veterinary X-ray Rooms, Veterinary Operating Rooms, Animal Transportation Vehicles, Beauty Salons, Barber Shops, Correctional Facilities, Funeral Homes, Mortuaries, Schools, Health Clubs, Gyms, Athletic Facilities, Airports, Transportation Terminals, Grocery Stores, Shopping Centers, ††Delicatessens, ††Catering Facilities, ††Banquet Halls, Nursery, Daycare centers, Households, Homes, Residences, ††Household kitchens, Household bathrooms, ††Institutional Kitchens, Institutional bathrooms.

†† When using on food contact surfaces: thoroughly rinse all treated surfaces with potable water.

• Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. **STRIKE BAC® SC-RTU Disinfectant Cleaner** is a broad-spectrum hard surface disinfectant that has been shown to be effective against and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1.

• **STRIKE BAC® SC-RTU Disinfectant Cleaner** has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.

• **STRIKE BAC® SC-RTU Disinfectant Cleaner** has demonstrated effectiveness against and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1.

• Kills Pandemic 2009 H1N1 Influenza A virus.

• Kills Pandemic 2009 H1N1 Influenza A virus.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

DISINFECTING, DEODORIZING: Remove gross filth or heavy soil prior to application of **STRIKE BAC® SC-RTU Disinfectant Cleaner** Apply product with a hand pump trigger sprayer. Hold sprayer six to eight inches from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 2 minutes. No scrubbing necessary. Allow treated surfaces to air dry or wipe off with a clean cloth.

When using on food contact surfaces: counter tops, stovetops, highchairs, kitchen appliances, thoroughly rinse all treated surfaces with potable tap water. This product must not be used to clean eating utensils, glassware and dishes.

STRIKE BAC® SC-RTU Disinfectant Cleaner is an effective disinfectant against: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Methicillin Resistant Staphylococcus aureus, Vancomycin Resistant Enterococcus faecium, Multi-Drug Resistant Acinetobacter baumannii Ceftazidime and Gentamicin Resistant, Extended Spectrum Beta-Lactamase Escherichia coli and Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase Carbapenem Resistant.

***VIRUCIDAL ACTIVITY: STRIKE BAC® SC-RTU Disinfectant Cleaner** is an effective virucide on hard non-porous surfaces against Human Immunodeficiency Virus Type-1 and Avian Influenza Virus NIBRG-14, when the treated surface is allowed to remain wet for **30 seconds**. **STRIKE BAC® SC-RTU Disinfectant Cleaner** is an effective virucide on hard, non-porous surfaces against Human Rotavirus, Hepatitis B Virus, Hepatitis C Virus, Duck Hepatitis B Virus and Bovine Viral Diarrhea Virus when the treated surface is allowed to remain wet for **1 minute**. **STRIKE BAC® SC-RTU Disinfectant Cleaner** is an effective virucide on hard, non-porous surfaces against Feline Calicivirus, Norovirus, Canine Parvovirus, Rhinovirus Type 14 and Rhinovirus Type 39, when the treated surface is allowed to remain wet for **2 minutes**. This product is effective against Poliovirus Type 1 when the treated surface is allowed to remain wet for **5 minutes**. Allow treated surfaces to air dry or wipe off with a clean cloth. **KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus and Hepatitis C Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of **STRIKE BAC® SC-RTU Disinfectant Cleaner**

CONTACT TIME: Allow surfaces to remain wet for 2 minutes.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

You may contact Chemtrac - (800) 424-9300 for emergency medical treatment information.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place inaccessible to children.

CONTAINER HANDLING – Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose in a sanitary landfill, incineration, or burning, if allowed by state and local authorities. If burned, stay out of smoke.

Or

CONTAINER DISPOSAL FOR REFILL SPRAY BOTTLE- Do not reuse empty spray bottle except with refill from the 1 gallon bottle, otherwise wrap spray bottle and discard in trash. Offer for recycling if available.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.